

NOTES:


SOUNDINGS ARE EXPRESSED IN FEET AND TENTHS AND REFER TO LOCAL M.L.W..
 PROJECT SURVEYED WITH DISTRICT SURVEY VESSEL "SKIMMER", USING D.G.P.S.
 HORIZONTAL POSITIONING EQUIPMENT AND 200 KHZ SOUNDING EQUIPMENT.
 TIDE GAGE LOCATED AT: UPPER POOL.
 HORIZONTAL DATUM NAD 1983

THIS PROJECT WAS DESIGNED BY THE WILMINGTON DISTRICT
 OF THE U.S. ARMY CORPS OF ENGINEERS. THE INITIALS OR
 SIGNATURES AND REGISTRATION DESIGNATIONS OF INDIVIDUALS
 APPEAR ON THESE PROJECT DOCUMENTS WITHIN THE SCOPE OF THEIR
 EMPLOYMENT AS REQUIRED BY ER 1110-1-8152.

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS
 MADE ON THE DATE INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE
 GENERAL CONDITIONS EXISTING AT THAT TIME.

(3) ALL DISTANCES SHOWN ARE HORIZONTAL GROUND DISTANCES EXCEPT
 AS NOTED. GRID FACTOR IS 0.999935708.

(4) NC GRID NAD 83 COORDINATES FOR COE 0003 AND COE 2-2 OBTAINED
 OPS REPORT TITLED "CORPS OF ENGINEERS - U.S. ARMY LOCK AND DAM
 NUMBER 1, 2, AND 3 CAPE FEAR RIVER" BY CONCORD ENGINEERING AND
 SURVEYING, INC. DATED 8-9-94 (CESI JOB NO. 94-07-06).



| CONDITION SURVEY | | | |
|---|-----------------------|---------------------------------|---|
| SYMBOL | DESCRIPTIONS | DATE | APPROVED |
| REVISIONS | | | |
| U.S. ARMY ENGINEER DISTRICT CORPS OF ENGINEERS WILMINGTON, NORTH CAROLINA | | | |
| SURVEYED BY: | M.A.S. | LOCK & DAM NO. 2 | |
| DRAWN BY: | J.D.E. | | |
| CHECKED BY: | | | |
| REVIEWED BY: | | | |
| APPROVED BY: | | SCALE: 1:1000 | PLATE NUMBER: |
| CHIEF, NAVIGATION BRANCH | DATE: 28 JANUARY 2005 | MAP FILE NO. CFA 105-05-5 | SURVEYED: 16 DEC. 04. 5 JANUARY 2005 |
| | | SHEET OF | |

